

APRIL
2022

PRICELIST
OF SPARE PARTS

Regulus

ENERGY-SAVING SOLUTIONS
regulus.eu

Orders:

E-mail:

**sales@regulus.eu**

Phone:

**+420 241 765 191**

- »c items marked with this symbol are also in the current Product Price List
- x items marked with this symbol are available only on order

Pricelist is valid from 15th April 2022

Contents

HEAT PUMPS	4-7
SOLAR THERMAL SYSTEMS	8-9
HEAT RECOVERY VENTILATION	10-13
TANKS, HEAT EXCHANGERS	14-17
ELECTRIC HEATING ELEMENTS	18
EXPANSION VESSELS	19-20
CONTROLLERS, THERMOSTATS	21-22
BOILER PROTECTION AND CONTROL	23-26
HEATING SYSTEMS COMPONENTS	27-31
PIPES AND INSULATION	32
CHEMICALS, FLUIDS	33-34
COMPONENTS FOR BOILER MANUFACTURERS	35-36

**H
P**

**S
O
L**

**H
R
V**

**A
C
C**

**E
H
E**

**E
V**

**C
O
N**


**B
P
C**

**H
S
C**

**P
I**


**C
H**

**M
A
N**

	Name	Code	€
	Cable for High Pressure Sensor	14367	31,60
	Cable w. connector for RegulusBOX display	18374	11,00
	Coil of 4-way Valve, for EA 400	16601	34,90
	Communication Cable for RTC	18262	5,32
	Compressor AEH42Y for EA 408	16195	2030,00
	Compressor AEH60Y for EA 410	17488	2130,00
	Compressor Inverter for EA 520M	17533	2220,00
	Compressor Inverter for EA 614M	19230	1850,00
	Compressor Inverter for EA 622M	17648	2020,00
	Control Unit for EA 107, 111, with cascade	8071	719,00
	Control Unit for EA110 – el. defrosting, LP measurement, 12V	16104	441,00
	Display Housing for EZ 250, plastic	16106	8,57
	Evaporator and Outdoor Sensors for EA400 and EA500	15870	37,20
	Evaporator Cover for EA 410-420, 622M	17783	329,00

	Name	Code	€
	Fan Cover for EA 406, 408, 614M	18792 x	219,00
	Fan Cover for EA 410-420, 622M	18191 x	237,00
	Fan for EA 410-420, 622M	14484	1670,00
	Fan with front grille for EA 406, 408, 510M, 614M	16529	1540,00
	Front Panel for EA 410-420, 520M, plastic	16672	470,00
	Grundfos UPM GEO 25-85 130 Pump for EP 414 - 435	18267 x	652,00
	Heating Element, 6-9 kW, for EcoZenith	18853 x	172,00
	High Pressure Sensor for EA 400	14352	161,00
	High Pressure Sensor for EP 400	17914	140,00
	Hot Gas Temperature Sensor (compressor)	9091	36,40
	LAN cable for BOX, angled connectors, 0.5m long	18367	4,90
	Low Pressure Sensor for EA	16064	161,00
	Low Pressure Sensor for EP 400	17913	140,00
	Main PCB for EA 410	14368	803,00

H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

Name	Code	€
 Main PCB for EA 614M	18854	779,00
 MASTER PCB for EcoEI, EcoHeat	9217	302,00
 Module for RegulusBOX - 4 output relays	19054	50,50
 Motor Protection PCB for EA 105-111	9582	304,00
 Motor Protection PCB for EA 115-125	10309	414,00
 Motor Protection PCB for EA 406-410	14639	313,00
 Motor Protection PCB for EA 415-420	14640	418,00
 Non-return Valve for EA 107	12392	163,00
 Nut for EA 400 (rubber)	14491	0,92
 Nut with clip for EA 600M, plastic	17189	14,70
 Outdoor Sensor for EcoEI, EcoZenith	10829	79,40
 Outdoor Sensor with 0.55m Cable for EA	10200	18,80
 Pressure Switch – high pressure	9586	51,30
 Pressure Switch – low pressure	9585	54,10

	Name	Code	€
	Pressure Switch – low pressure, with T-piece	10949	245,00
	RCA Room Unit for RegulusBOX	18247	298,00
	Set of nuts and bolts for EA 600M	18914	15,10
	Silentblock 60mm diam., 40mm high, two M10x28 bolts	17019	20,70
	Suction Gas Sensor for Heat Pumps series 400/500	16103	37,00
	Top Panel for EA 410-420, 520M, plastic	16671	423,00

HP

SOL

HRV

ACC

EHE

EV

CON

BPC

HSC

PI

CH

MAN

	Name	Code	€
	Ball Valve, 3/8", with cap for flowmeter	10500	18,20
	Evacuated Tube for TZ58/1800 for KTU	12115	26,30
	Flowmeter with fill/drain valves, 2-12 l/min, G 1" M	9592	98,50
	Flowmeter with fill/drain valves, 8-28 l/min, G 1" M	9593	106,00
	Flowmeter with fill/drain valves, 8-28 l/min, G 3/4" M	7781	106,00
	Flowmeter with fill/drain valves,, 2-12 l/min, G 3/4" M	7780	106,00
	Flowmeter, 20-70 l/min, G 6/4" Fu/M	10594	123,00
	Flowmeter, 2-12 l/min, G 1" M	17153	60,10
	Flowmeter, 8-28 l/min, G 1" M	17158	62,00
	Gasket for KOMBI roof bolt	8891 »C	1,54
	Gasket, 6/4", EPDM, 34x44x3, for RegulusSOL pump stations	17220	1,49
	Para ST 25/6 IPWM2 M Pump, 180 mm, no cables, for S1, S2 w. controller	17056	373,00
	Para ST 25/7 iPWM2 – 130 Pump, 3m cable, for CSE SOL	16630	235,00
	Stratos Para 25/1-8 Pump, 180mm, for S2 Solar2 Pump Station	16470	974,00

	Name	Code	€
	Thermometer, 0-120°C, blue, for S1, S2 pump stations	9574	15,50
	Union Nut with gasket, G 6/4"	13259	4,95
	UPM3 Hybrid 25/70 Pump, 180 mm, for S1, S2 without controller	16505	373,00

H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

	Name	Code	€
HP	 Bypass Actuator for Sentinel Kinetic/Plus	13955	18,80
	 By-pass for Sentinel Kinetic Advance S, SX	18881	28,10
	 By-pass for Sentinel Kinetic B	11011	101,00
SOL	 Cable for By-Pass Control in Kinetic by IR, CYSY 2x1, l = 2 m	17115	8,57
	 Condensate Drain Elbow for HR100RS	15307 x	19,30
	 Condensate drain for Sentinel Kinetic Advance S, SX	18891	8,16
HRV	 Control PCB for AM 290F, type Mark 2	9025	522,00
	 Control PCB for AM 290F, type Mark 2, with by-pass	11581	558,00
	 Control PCB for AM 400, type Mark2, no summer by-pass	11002	544,00
ACC	 Control PCB for AM 400, type Mark2, summer by-pass	9160	544,00
	 Control PCB for Sentinel Kinetic Advance S	18892	403,00
	 Control PCB for Sentinel Kinetic Advance SX	18890	403,00
EHE	 Control PCB with display for Sentinel Kinetic (plus)	11006	329,00
	 Display for Sentinel Kinetic Advance S, SX	18889	191,00

HP

SOL

HRV

ACC

EHE

EV

CON


BPC

HSC


PI

CH

MAN

	Name	Code	€
	Enthalpy Heat Exchanger for Sentinel Kinetic B	17084 x	1370,00
	Fan for AM 375 (400) HRV Unit - set	10027	477,00
	Fan for AM HR 100 W and R HRV Units	8601	126,00
	Fan for AM HR 30W HRV Unit	8600	150,00
	Filter for AM 290	8025	3,34
	Filter for AM 375	10699	3,34
	Filter for HR30W and HR100W	9001 »c	3,56
	Filter Frame for AM290 HRV Unit	10529	41,80
	Filter Frame for AM375 HRV Unit	10716	41,80
	Filter Frame for Sentinel Kinetic Advance S, SX - left-hand one	18879	40,30
	Filter Frame for Sentinel Kinetic Advance S, SX - right-hand one	18880	40,30
	Filter textile for HR100R	8136 »c	3,56
	Filter textile for Sentinel Kinetic B Plus, F5	13326 »c	18,90
	Filter textile for Sentinel Kinetic B Plus, G3	13325 »c	16,10

H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

	Name	Code	€
	Filter textile for Sentinel Kinetic B, F5	13324 »c	16,30
	Filter textile for Sentinel Kinetic B, G3	13323 »c	12,80
	Filters for Advance, F5	16892 »c	17,80
	Filters for Advance, G3	16891 »c	14,10
	Heat Exchanger for AM290 HRV Unit	16263	470,00
	Heat Exchanger for AM375 HRV Unit	16264	808,00
	Heat Exchanger for HR100R, HR100W and HR30W	9106	182,00
	Main PCB for Sentinel Kinetic (plus)	11005	191,00
	Motor for Sentinel Kinetic Advance S, SX	18882	421,00
	Motor for Sentinel Kinetic B, extract	11010	528,00
	Motor for Sentinel Kinetic B, supply	11009	528,00
	Motor for Sentinel Kinetic Plus B, extract	12695	463,00
	Motor for Sentinel Kinetic Plus B, supply	12694	463,00
	Pressure Sensor for Sentinel Kinetic Advance S, SX	18887	338,00

HP

SOL

HRV

ACC

EHE

EV

CON

BPC

HSC

PI

CH

MAN

	Name	Code	€
	Spigot diam. 150 for AM290, set of 4	10029	175,00
	Temperature & Humidity Sensor for Sentinel Kinetic Advance S, SX	18885	91,30
	Temperature & Humidity Sensor T3 for Sentinel Kinetic Advance S, SX	18884	64,30
	Temperature Sensor T1 for Sentinel Kinetic (plus) - supply	11007	62,10
	Temperature Sensor T2 for Sentinel Kinetic (plus) - extract	11008	58,40
	Temperature Sensor T2 for Sentinel Kinetic Advance S, SX	18883	25,00
	Temperature Sensor T4 for Sentinel Kinetic Advance SX	18886	25,00
	Temperature Sensors for AM – set of 3	10028	221,00
	Wall Support for Sentinel Kinetic Advance S, SX	18888	13,80

H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

Name	Code	€
 Anode for HW storage tank, 840 mm long, G 5/4" M, chain type	13112	58,50
 Anode for HW storage tanks, 840 mm long, G 3/4" M, chain type	13959	56,80
 Anode Rod 200/150 (l=350) for ACES - no electronics	17438	64,60
 Anode Rod 200/250 (l=450) for ACES - no electronics	17439	67,20
 Anode Rod 350/150 (l=500) for ACES - no electronics	17440	70,80
 Anode Rod 350/250 (l=600) for ACES, no electronics	6904	67,90
 Anode Rod 550/200 (l=750) for ACES - no electronics	17442	71,20
 Anode Rod 550/250 (l=800) for ACES - no electronics	17443	73,00
 Anode Rod, magnesium, 340 mm long, 32 mm diam., G 5/4" - for RxGC 300 K	17147	35,30
 Anode Rod, magnesium, 390 mm long, 38 mm diam., G 2" M - for oldet types of RGC 120 H	10178	40,70
 Anode Rod, magnesium, 400 mm long, 20 mm diam., G 3/4" - for RxDC 300 flange	1998	17,10
 Anode Rod, magnesium, 400 mm long, 33 mm diam., G 5/4" M - for R0BC 200-300, RBC 200,400,500, R2BC 400, RxDC 160, for flanges in RBC and R2BC 400-500	4025	36,10
 Anode Rod, magnesium, 500 mm long, 33 mm diam., G 5/4" M - for RGC 120 H, R0BC 400-500, RBC 300, RBC 300 HP 3.2V, R2BC 200, 500, RxDC 200-300, for flanges in R0BC 1500, RBC and R2BC 750-1500	448	51,20
 Anode Rod, magnesium, 650 mm long, 33 mm diam., G 5/4" M - for R0BC 750, 1500, RBC 750, RBC HP 200, R2BC 300, for flanges in R0BC 2000-3000, RBC 2000 - 3000 and R2BC 2000-3000	464	52,80

	Name	Code	€
	Anode Rod, magnesium, 770 mm long, 21 mm diam., G 3/4" - for DUO 390/130 - 1700/200	14251	32,40
	Anode Rod, magnesium, 900 mm long, 33 mm diam., G 5/4" M - for R0BC 1000, 2000-3000, RBC 1000-3000, RBC HP 300-1500, R2BC 750-3000	3698	91,80
	Anode Rod, magnesium, l=400mm, d=33mm, M8x30 thread, for side flange - for older types RBC and R2BC, for flanges in RBC 300 HP 3.2V	4611	59,30
	Connection Cable for 2nd electronic anode rod, 3m long	12654	12,30
	Connection Cable for 3rd electronic anode rod, 3m long	17429	11,70
	Electronics for ACES Titanium Anode Rod	12476	133,00
	Flange for DUO 390/130 to 1700/200 (P,PR) – weldment	16634	116,00
	Flange for DUO.../130 (P,PR) – complete with pipes	17022 x	179,00
	Flange Gasket for DUO E 380/120, d=260 mm	11433	10,20
	Flange Gasket for DUO E 380/130 to 1700/200 (P, PR) d=112x157 mm	15507	10,00
	Flange gasket for PS2F, PSWF tanks	6732	17,30
	Flange Gasket for RxBC tanks	1976	12,20
	Flange Gasket for RxDC 300 tanks	14642	11,20
	Flange Gasket for RxDC tanks, 160, 200 and 250	12167	3,94

HP

SOL

HRV

ACC

EHE

EV

CON

BPC

HSC

PI

CH

MAN

TANKS, HEAT EXCHANGERS

HP
SOL
HRV
ACC
EHE
EV
CONN
BPC
HSC
PI
CH
MAN

	Name	Code	€
	Flange Gasket for RxGC 200-400, d=180 mm	10173	9,90
	Flange Spacer for DUO 390/130 to 1700/200 (P,PR)	16635	1,13
	Flange with Anode Rod for RxDC 160 Hot Water Storage Tank	15846	80,40
	Flange with Anode Rod for RxDC 200-250 Hot Water Storage Tank	15847	87,30
	M6 Bolt for checking valve in Safety kit for hot water tanks	19418	1,99
	Mantle for R2DC 300 Hot Water Storage Tank	13099	165,00
	O-ring 25.4x5.34 NBR75 for Cupro (3/4") tube heat exchanger	11298	1,67
	O-ring 33x6 NBR75 for Cupro (1") tube heat exchanger	11299	1,67
	Reducing Adapter, F/M 1" - 5/4" NYLON	12294	2,81
	Reducing Adapter, F/M 3/4" - 1" NYLON	12293	2,40
	Reducing Adapter, F/M 5/4" - 6/4" NYLON	16876	9,06
	Spacer Ring, nylon, diam. 26.3 for Cupro (3/4") tube heat exchanger	11864	1,33
	Spacer Ring, nylon, diam. 34.1 for Cupro (1") tube heat exchanger	11865	1,43
	Thermometer for R(2)DC hot water storage tanks, contact type	11545	10,00

Name	Code	€
	Thermometer for RBC, R2BC hot water storage tanks, for sheath diam. 63-45, 0-120 °C	10307 19,20
	Thermometer for RGC hot water storage tanks, for sheath	9751 16,30
	ZRS 15/2-3 KU P – 130 Pump, for FWC3 pump station	12869 197,00

H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

	Name	Code	€
	3x400V Contactor, 20A, for el. heating elements	11119	33,00
	Double Thermostat for el. heating element in HW storage tank – 3-phase	7928	84,90
	Glow Indicator, 230V, green, for heating elements w. thermostat	17194	3,11
	Glow Indicator, 230V, yellow, for heating elements w. thermostat	17195	3,11
	Glow Indicator, 230VAC, red, for heating elements w. thermostat	17193	3,11
	Plastic Housing – for heating element without thermostat	7613	5,26
	Thermostat (knob-adjustable), 0-90°C, capillary 0.6m	10739 »c	15,80
	Thermostat (safety), 99°C, 0.55m capillary, SPDT	10743 »c	18,30

HP

SOL

HRV

ACC

EHE

EV

CON

BPC

HSC

PI

CH

MAN

	Name	Code	€
	Replaceable Membrane for HS expansion vessels, 150 and 200 l	13771	113,00
	Replaceable Membrane for HS expansion vessels, 250 and 300 l	13772	175,00
	Replaceable Membrane for HS expansion vessels, 400 l	13773	265,00
	Replaceable Membrane for HS expansion vessels, 50 l	13785	38,10
	Replaceable Membrane for HS expansion vessels, 500-700 l	13774	431,00
	Replaceable Membrane for HS expansion vessels, 60 and 80 l	13769	45,90
	Replaceable Membrane for HS expansion vessels, 80 and 100 l	13770	83,20
	Replaceable Membrane for HW expansion vessels, 200 and 250 l	13791	196,00
	Replaceable Membrane for HW expansion vessels, 300 and 400 l	13792	288,00
	Replaceable Membrane for HW expansion vessels, 60 l	13788	49,90
	Replaceable Membrane for HW expansion vessels, 80 and 100 l	13789	97,80
	Replaceable Membrane for SL Expansion Vessels, 150 l	13777	148,00
	Replaceable Membrane for SL Expansion Vessels, 200 l	12763	236,00
	Replaceable Membrane for SL expansion vessels, 300 l	13786	338,00

H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

HP

SOL

HRV

ACC

EH

EV

CON

BPC


HSC

PI

CH

MAN

	Name	Code	€
	Replaceable Membrane for SL Expansion Vessels, 50 l	13775	61,10
	Replaceable Membrane for SL expansion vessels, 500 l	13787	519,00
	Replaceable Membrane for SL Expansion Vessels, 80 and 100 l	13776	113,00

	Name	Code	€
	8 GB Memory Card, industrial grade, for IR 10 & 12	16755	46,00
	Crouzet Microswitch – for flow switch	13410	4,23
	Crouzet Microswitch w. 3 gold-pl. contacts – for flow switch	3882	4,53
	Data Logger for TRS Controllers, connecting cable included	17184 x	279,00
	IR Transducer for HRV Unit	17346	31,60
	LAN Cable for IR12	14570	9,13
	Power Supply for IR1x, 30 W	16490	47,00
	Pressure Gauge, 4 bar, 1m capillary, with OPOP logo	11731	12,20
	Radial Fuse for DeltaSol BS, ES Controllers	8048	2,09
	Radial Fuse for STDC, SRS3, SRS4 Controllers	10208	1,97
	Ripple Control Module for IR10	13719	77,30
	Safety Thermostat, l= 600 mm, 106 °C	16464	16,90
	SSR relay, single-pole, 0-10V input, 24VDC/VAC power supply	16418	254,00
	Submodule RS485 GO for IR12 Controller	13052	112,00

H
P

S
O
L

H
R
V

A
C
C

E
H
E

E
V

C
O
N

B
P
C

H
S
C

P
I

C
H

M
A
N

H
P

S
O
L

H
R
V

A
C
C

E
H
E

E
V

C
O
N

B
P
C

H
S
C

P
I

C
H

M
A
N

Name		Code	€
	Thermometer, 0-120°C, 1 m capillary, with OPOP logo	938	10,00
	Thermostat (knob-adjustable), 0-90°C, capillary 0.6m	10739 »c	15,80
	Thermostat (safety), 99°C, 0.55m capillary, SPDT	10743 »c	18,30

	Name	Code	€
	100 Ah Battery, 12V, for Backup Power Supplies	12381	560,00
	18 Ah Battery, 12V, for Backup Power Supplies	12504	119,00
	2x 9 Ah Battery, 12V, for PG 500 Compact Backup Power Supplies	16729	105,00
	44 Ah Battery, 12V, for Backup Power Supplies	11019	277,00
	9 Ah Battery, 12V, for Backup Power Supplies	16249	49,30
	Brass Sheath for BVTS, l=140 mm	14650	16,20
	Brass Sheath for BVTS, l=140 mm, incl. screw	13066	16,20
	Brass Sheath for BVTS, l=220 mm	16279	16,20
	Brass Sheath for BVTS, nickel-plated, l=140 mm	14712	16,20
	Fork for RT3 with M4 screw	11627	1,49
	Fork for RT4 with M4 screw	13873	1,49
	Gasket 44x27x2 EPDM for LK810	10553	7,14
	Gasket, EPDM, 41.6x34.6x1.5, for TSV3 and TSV5 valves	16414	0,36
	Gasket, EPDM, 54.85x48.25x1.5, for TSV6 and TSV8 valves	16615	0,46

H
P

S
O
L

H
R
V

A
C
C

E
H
E

E
V

C
O
N

B
P
C

H
S
C

P
I

C
H

M
A
N

H
P

S
O
L

H
R
V

A
C
C

E
H
E

E
V

C
O
N

B
P
C

H
S
C

P
I

C
H

M
A
N

	Name	Code	€
	Grundfos Alpha2 L 25-60 Pump Motor, for LK810	13387	366,00
	Grundfos UPM3 AutoL 70PH Pump Motor, for ThermoMat	15079	388,00
	Grundfos UPSO 65 Pump Motor, for LK810	10559	272,00
	Insulation for LK810 Pump Station	10555	42,30
	Insulation for ThermoMat Load Unit	15084 x	37,00
	Knob and Piston Kit for RT3 Draft Regulator	8217 »c	4,27
	Knob and Piston Kit for RT4 Draft Regulator	14564	3,94
	Knob for RT4 Draft Regulator	13876 »c	1,99
	Lever for RT3 L, RT4 L Draft Regulators	8798	5,01
	Lever for RT3, RT4 Draft Regulators	8591	5,01
	Lever for Slokov Draft Regulator	6377	5,01
	Non-return Valve for LK810	10558	6,53
	PCB for PG 600 S Backup Power Supply	17250	122,00
	PG 1000 A Backup Power Supply, 12V - no battery	16690	279,00

	Name	Code	€
	PG 500 Backup Power Supply, without battery	11039	269,00
	Spring for LK810	10557	1,79
	Thermometer, 0-120°C, for LK810	10554	26,60
	Thermostatic element for LK810 Pump Station - 55°C	10545	53,80
	Thermostatic element for LK810 Pump Station - 60°C	10546	53,80
	Thermostatic element for LK810 Pump Station - 65°C	10548	53,80
	Thermostatic element for LK810 Pump Station - 70°C	10549	53,80
	Thermostatic element for RT	5881 »c	14,80
	Thermostatic element for ThermoMat 55 °C	15080 »c	50,80
	Thermostatic element for ThermoMat 60 °C	15081 »c	50,80
	Thermostatic element for ThermoMat 65 °C	15082 »c	50,80
	Thermostatic element for ThermoMat 70 °C	15083	50,50
	Thermostatic element for Thermomat 72 °C	16240 »c	50,80
	Thermostatic element for TSV 1 valve, 46 °C	7774	30,60

H
P

S
O
L

H
R
V

A
C
C

E
H
E

E
V

C
O
N

B
P
C

H
S
C

P
I

C
H

M
A
N

HP

SOL

HRV

ACC

EHF

EV

CON

BPC

HSC

PI

CH

MAN

Name		Code	€
	Thermostatic element for TSV 3 and 5 valves, 65°C	16198 »c	35,40
	Thermostatic element for TSV 3 and 5 valves, 72 °C	16098 »c	35,40
	Thermostatic element for TSV 3B and 5B valves, 45°C	12102 »c	36,40
	Thermostatic element for TSV 3B and 5B valves, 55°C	12101 »c	36,40
	Thermostatic element for TSV 3B and 5B valves, 65°C	12100 »c	36,40
	Thermostatic element for TSV 3B, 5B valves, 50 °C	16095 »c	36,40
	Thermostatic element for TSV 3B, 5B valves, 60 °C	16096 »c	36,40
	Thermostatic element for TSV 3B, 5B valves, 70 °C	16097 »c	36,40
	Thermostatic element for TSV 6 and 8 valves, 65°C	16199 »c	41,60
	Thermostatic element for TSV 6 and 8 valves, 72°C	16200 »c	41,60
	Thermostatic element for TSV 6B, and 8B valves, 45°C	13193 »c	43,20
	Thermostatic element for TSV 6B, and 8B valves, 55°C	13194 »c	43,20
	Thermostatic element for TSV 6B, and 8B valves, 65°C	13195 »c	43,20
	V24 Thermostatic element for TSV3, 5 valves, 77°C	18973 x	30,70

	Name	Code	€
	3-way Mixing Valve, 6/4", for M2 MIX3	13313	96,40
	Actuator for LK525 3-way valve, 230V, 8s, 60°C, Molex	10834	112,00
	Actuator for VMR SPDT M1S Valve	7479	116,00
	Actuator for VMR SPDT, CR Valves, 230V	3721	97,10
	Actuator for VZK 2x 2-way valve, 230V, 30s, 90°	16325	92,70
	Actuator for VZP 2- and 3-way valves	14290	36,30
	Cable for LK525 zone valve, 3x0.75/1m, Molex	10835	16,60
	Cap with Magnet for 1" F Ball valve with filter	17870	14,30
	Cap with Magnet for 2" F Ball valve with filter	17880	47,70
	Cap with Magnet for 3/4" F Ball valve with filter	17869	12,30
	Cap with Magnet for 5/4" F Ball valve with filter	17871	23,90
	Cap with Magnet for 6/4" F Ball valve with filter	17879	31,90
	Connection Set for AVC Actuator for LK Mixing Valves	13458	13,40
	Connector for ALPHA2 pump, straight	14695	53,30

HP

SOL

HRV

ACC

EHE

EV

CON

BPC

HSC

PI

CH

MAN

HP

SOL

HRV

ACC

EHE

EV

CON

BPC

HSC

PI

CH

MAN

	Name	Code	€
	Filter for 1" F Ball valve with filter	17876	2,80
	Filter for 2" F Ball valve with filter	17884	6,30
	Filter for 3/4" F Ball valve with filter	17875	2,33
	Filter for 5/4" F Ball valve with filter	17877	3,80
	Filter for 6/4" F Ball valve with filter	17883	4,90
	Grundfos UPM3 AUTO 25-60 - 130 - 6/4" M Pump - control ON/OFF (Δp-c / Δp-v / I, II, III)	19406	179,00
	Grundfos UPM3 DHW 15-70 - 130 - 1" M Pump - control ON/OFF (I, II, III) or PWM-A (heating)	19402	199,00
	Grundfos UPM3 Flex AS 25-60 - 180 - 6/4" M Pump - control ON/OFF (I, II, III) or PWM-A (heating)	19412	179,00
	Grundfos UPM3 Flex AS 25-60 - 180 - 6/4" M Pump, reversed - control ON/OFF (I, II, III) or PWM-A (heating)	19408	179,00
	Grundfos UPM3 Flex AS 25-75 - 130 - 6/4" M Pump - control ON/OFF (I, II, III) or PWM-A (heating)	19410	189,00
	Grundfos UPM3 Flex AS 25-75 - 130 - 6/4" M Pump, reversed - control ON/OFF (I, II, III) or PWM-A (heating)	19404	189,00
	Grundfos UPM3 HYBRID 25-70 - 130 - 6/4" M Pump - control ON/OFF (Δp-c / Δp-v / I, II, III / AutoADAPT) or PWM-A (heating)	19414 x	199,00
	Hose Tail for 1/2" drain valve	19434	1,12
	Hose Tail for drain valves (set of 2), for flowsetter	8368	9,17

	Name	Code	€
	Check Valve for M2 Pump Stations (for ball valve)	11487	5,11
	Lid for 1/2" drain valve	19435	1,22
	Motor for SF MUT 2-way valve, 230V	3095	86,40
	Motor for SF MUT 3-way valve, 230V	3988	86,40
	O-ring for 1" F Ball valve with filter	17873	0,52
	O-ring for 2" F Ball valve with filter	17882	0,92
	O-ring for 3/4" F Ball valve with filter	17872	0,36
	O-ring for 5/4" F Ball valve with filter	17874	0,52
	O-ring for 6/4" F Ball valve with filter	17881	0,70
	Power Cable for Para pump, l = 1 m, with fuse	18124	8,32
	Power cable for UPM3 pump, 1m long, angled	19386	15,50
	Power Cable for UPM3 pump, l = 2 m, angled	16272	20,40
	Power Cable for Yonos Para pump, l = 3 m	17010	8,57
	PWM Control Cable w. connector for UPM3, 1m long	16506	8,16

H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

	Name	Code	€
HP	 PWM Control Cable with connector for UPM3 pump, l = 2 m	16792	14,50
SOL	 PWM Control Cable with connector for Yonos Para ST 25/7 PWM2	16282	13,90
HRV	 T1 Temperature Sensor with 1m cable	16149 »c	27,00
ACC	 T2 Temperature Sensor with 3m cable	16150 »c	30,40
EEH	 Thermostat, 0-120°C, red, for M2 Pump Station	9575	15,50
EV	 Wilo Para 25/6 SC - 130 - 6/4" Pump, Molex - control ON/OFF (Δp -c / Δp -v / I, II, III)	19403	168,00
CON	 Wilo Para 25/6 SC - 180 - 6/4" Pump, Molex - control ON/OFF (Δp -c / Δp -v / I, II, III)	19407	168,00
BPC	 Wilo Para 25/8 iPWM1 - 130 - 6/4" Pump, Molex - control iPWM1 (heating) + flowrate info, for heating circuits	19411	179,00
HS	 Wilo Para 25/8 SC - 130 - 6/4" Pump, Molex - control ON/OFF (Δp -c / Δp -v / I, II, III)	19409	179,00
PI	 Wilo Para 25/8 SC - 130 - 6/4" Pump, Molex, reversed - control ON/OFF (Δp -c / Δp -v / I, II, III)	19405	179,00
CH	 Wilo Para ST 25/7 iPWM2 - 130 - 6/4" Pump, Molex - control iPWM2 (solar) + flowrate info, for solar systems	19413 x	189,00
MAN	 Wilo Varios Pico STG 25/1-8 Pump - control ON/OFF (Δp -c / Δp -v / I, II, III) or PWM GT (brine circuit) or PWM ST (solar)	18738 »c	323,00
	 WILo Yonos Maxo 25/0,5-10 - 180 Pump - control ON/OFF (Δp -c / Δp -v / I, II, III)	16818 »c	1060,00
	 Wilo Yonos Para RS 25/6-RKC - 130 Pump - control ON/OFF (Δp -v / I, II, III)	16419	225,00


	Name	Code	€
	Wilo Yonos Para RS 25/6-RKC - 180 Pump - control ON/OFF (Δp -v / I, II, III)	16421	235,00
	Wilo Yonos Para RS 25/7.5-RKC - 130 Pump - control ON/OFF (Δp -v / I, II, III)	16420	235,00


H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

	Name	Code		€
	DN 12 and DN 16 clamp (1/2" + 3/4")	720	»c	30,00
	DN 25 clamp (5/4")	7597	»c	29,80
	DN 8 and DN 20 clamp (3/8" + 1")	3659	»c	30,00
	Pipe cutter, DN 8 to DN 20	713	»c	52,00
	Tool Case for Kombiflex – empty – for Code 3834	16245	x	49,90
	Tube template rammer, DN 25 (5/4")	7596	»c	117,00
	Tube template rammer, DN 8 to DN 20 (3/8" - 1")	3430	»c	100,00

	Name	Code	€
	4-way Valve Lever Handle – for DOS25/V4V	115	4,18
	4-way Valve, complete, for TARTARUGA (short shaft)	6645	257,00
	4-way Valve, without elbows and lever, for DOS25/V4V	11801	229,00
	DOS25 and DOS40 Pump Lid, no suction	1195	74,50
	DOS25/V4V Pump Lid incl. suction	3709	294,00
	Hose incl. 3/4" nuts for Profi REGULUS 1100W Filling Push Cart – 1 hose	12117	68,60
	Hose incl. 3/4" nuts, suction, l=25 cm, for Profi REGULUS 1100W Filling Cart	14084 x	36,40
	Hose Tail, 1/2"-16mm - set, for DOS25 and TARTARUGA	1194	19,30
	Hose Tail, 3/4"-19mm - set, for DOS25	2857	25,70
	Impeller d=110 with tube – for DOS 40	8916	45,30
	Impeller d=90 with tube – for DOS 25	1445	36,20
	Impeller d=90, no tube – for DOS 25	9003	36,40
	Lid with Filter for DOS25 and TARTARUGA	1901 x	27,30
	Motor for DOS 25 and TARTARUGA descaling pumps	1446	445,00


H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

	Name	Code	€
	Motor for TARTARUGA descaling pump – long shaft	6643	299,00
	Motor Shaft - DOS 40	14704	104,00
	Motor Shaft Extension for DOS 25, plastic	9004	25,30
	Motor Shaft Extension for TARTARUGA, plastic	11882	21,80
	Nut (union nut) for TARTARUGA lid, plastic	6667	28,30
	Nut for DOS handle, M12, Plastic	6646	7,40
	O-ring, 98x3.53, for lid with filter - for DOS25	1902	11,80
	Plastic Bolt for lid with filter - DOS25 and TARTARUGA	1903	1,99
	Plastic Tank for DOS25	1048	136,00
	Pump for Filling Push Cart, 1100 W	9714	311,00
	Radial Shaft Seal, 15-26-7/6.5, for DOS 25	3554	14,50
	Tank Lid, black, for DOS25, TARTARUGA, PULCE	6805	20,10

	Name	Code	€
	Electrode A.50	267	4,59
	Fan SV 30- 85, probe	7939	65,10
	Fan SV 30- 98 - K, incl. cover	8737	72,20
	Fan SV 30-108, probe	7942	74,50
	Gas Boiler Electronic Control, AT 06, unfanned, tw=2, tb=10	1524	94,70
	Gas Boiler Electronic Control, FT 09, fanned, tp=2, tb=10	1525	101,00
	Gasket for fan inlet, silicone ST 506 I	546	1,91
	Gasket for fan outlet, silicone ST 505 I	547	1,13
	High-tension Silicone Cable FG4T2/12, diam. 3.1 mm, sold by the meter	1595	1,43
	High-tension Silicone Cable, l=850mm (2.35+3.8 mm terminals)	32	2,09
	Interconnection Cable, Ineco-Bertelli, balanced flue	1715	28,80
	Interconnection Cable, Ineco-Bertelli, fanned flue	1716	35,90
	Piezo igniter, black, M18x1.5-10 thread, d=24.5	3273	3,88
	Plastic connector for 3 terminals, BS 95/3	1647	0,24

H
PS
O
LH
R
VA
C
CE
H
EE
VC
O
NB
P
CH
S
CP
IC
HM
A
N

Name	Code	€
 Plastic connector for 4 terminals, BS 95/4	1648	0,24
 Plastic connector for 5 terminals, BS 95/5	1649	0,24
 Plastic connector for 7 terminals, BS 95/7	1650	0,30
 Set of spare parts for FP 20, 21, 22, 23 flow switches	1348	11,90
 Set of spare parts for P53 el. 3-way valve	326	9,06
 Set of spare parts, big, for 3-way valve	1381	33,00
 Set of spare parts, small, for 3-way valve	1401 x	22,20
 Silicone Grommet, diam. 21x3.5	227	0,82
 Silicone Tube, 4 mm diam. x 7 mm	548	2,92
 Terminal diam. 4 mm, female	1707	0,18
 Terminal for Gas Boiler El. Control, for BS=CT84 STELVIO	1645	0,12
 Thermostat Cover, silicone, ST 568 I332	827	1,13



Regulus

REGULUS spol. s r.o., Czech Republic
E-mail: sales@regulus.eu
Web: www.regulus.eu