

Regulus

DISCOUNTED SETS

RegulusBOX




**Sets with Heat Pump and
RegulusBOX Indoor Unit**

SEASONAL DISCOUNT KITS


with RTC inverter air-to-water
heat pumps **for heating & cooling**



No hot water storage tank



With NBC 170 HP hot water storage tank



For homes of max. 5 kW heat loss

SET	CODE
RTC 6i BOX	18603

For homes of max. 10 kW heat loss

SET	CODE
RTC 12i BOX	18604

For homes of max. 5 kW heat loss

SET	CODE
RTC 6i BOX 170	18605

For homes of max. 10 kW heat loss


SET	CODE
RTC 12i BOX 170	18606

SEASONAL DISCOUNT KITS


with EcoAir 600M inverter air-to-water heat pumps **for heating**



No hot water storage tank



With NBC 170 HP hot water storage tank



For homes of max. 13 kW heat loss

SET	CODE
EA 614M BOX	18502

For homes of max. 20 kW heat loss

SET	CODE
EA 622M BOX	18600

For homes of max. 13 kW heat loss

SET	CODE
EA 614M BOX 170	18601

For homes of max. 20 kW heat loss

SET	CODE
EA 622M BOX 170	18602

RegulusBOX

Indoor hydraulic unit for heat pump

- Intended primarily for connection of inverter heat pumps directly to a heating system.
- Permits connecting a hot water storage tank, 3-way valve inside.
- 2-12 kW electric boiler, pressure sensor, circulation pump.
- Smart controller permitting connection to the Internet, with a control display that can be moved to the living area of the house where it can also serve as a room temperature and humidity sensor.
- With RTC heat pumps it enables cooling through floor, walls or ceiling.



MAIN ADVANTAGES



**EASY INSTALLATION
AND COMMISSIONING**



**EASY CONNECTION
OF MEASUREMENT & CONTROL,
WIRING**



**SIGNIFICANT REDUCTION
OF INSTALLATION TIME**



**MINIMUM
SPACE REQUIREMENTS**

VARIANTS

		CODE
RegulusBOX CTC	for EcoAir, EcoPart heat pumps	18054
RegulusBOX RTC	for RTC heat pumps	18574

What is included in supply of RegulusBOX:



ACCESSORIES

		CODE
	blanking display set including frame for display installation to a room	18248
	room temperature sensor	16167
	RDC 25 room unit	18540
	RCD room unit	16888
	room temperature and humidity sensor, wireless, WiFi	18474
	connecting braided hoses of various length, 0.3-1 m, see the Catalogue	

REGULUS spol. s r.o., Czech Republic
E-mail: sales@regulus.eu

regulus.eu

